



PETROBRAS  
Natural Gas Delivery Facility  
to **TERMORIO I**  
(thermoelectric power plant)

**T** **TINÔCO**  
**ANTI**CORROSÃO

SECURIT™ 2 ELASTOMER



2011 to 2020 period

**9 years proven protection**

ISO 12944-9:2018:  
**Corrosivity C4 high**

PETROBRAS Natural Gas Delivery Facility to **TERMORIO I** (thermoelectric power plant)



**SECURIT™ 2 PRIMER applied on July 29, 2011**

ISO 12944-9:2018: Corrosivity C4 high

PETROBRAS Natural Gas Delivery Facility to  
TERMORIO I (thermoelectric power plant)

**T** TINÔCO  
ANTI CORROSÃO

SECURIT™ 2 ELASTOMER

**SECURIT™ 2 FINISH COATING applied on August 1, 2011**

ISO 12944-9:2018: Corrosivity C4 high

**PETROBRAS Natural Gas Delivery Facility to TERMORIO I (thermoelectric power plant)**

**T** **TINÔCO**  
**ANTI CORROSÃO**

**SECURIT™ 2 ELASTOMER**





2011 to 2020 period / **9 years proven protection**  
ISO 12944-9:2018: Corrosivity C4 high  
PETROBRAS Natural Gas Delivery Facility to  
TERMORIO I (thermoelectric power plant)

**T** TINÔCO  
ANTI CORROSÃO

SECURIT™ 2 ELASTOMER